



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

<b>LISTING No.:</b>	8170-2378:0001
<b>CATEGORY:</b>	8170 - IGNITION-RESISTANT MATERIALS
<b>LISTEE:</b>	ABET USA Inc. N48W37031 E. Wisconsin Avenue, Oconomowoc, WI, 53006 Contact: Musielak, Matthew (262) 560-4435 Email: MMusielak@fiberesin.com
<b>DESIGN:</b>	MEG (Material Exterior Grade), 4-1/4' feet width x 0.315 inch thick x 10 feet length, thermally fused exterior wall panel. Refer to manufacturer's installation instructions and product data sheets for additional detailed product description and construction.
<b>RATING:</b>	Flame Spread Index: 5  Maximum Flame Front less than 10.5 feet
<b>INSTALLATION:</b>	In accordance to Listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.
<b>MARKING:</b>	Listee name, Model number, rating and Intertek label.
<b>APPROVAL:</b>	Listed as an ignition resistant material when used in the Wildland Urban Interface areas. Refer to listee's Installation Instruction Manual for details.
<b>NOTES:</b>	Tested to ASTM E2768

11-27-2023



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

**Date Issued: 01/14/2025**

**Listing Expires: 06/30/2025**

Authorized By: **Michael Huang**, Program Coordinator  
Fire Engineering & Investigations Division